

Mississippi College and Career Readiness Standards for Mathematics Scaffolding Document

Grade 5



GRADE 5				
	Operations and Algebraic Thinking (OA)			
Write and interpret numerical expressions				
5.OA.1 Use parentheses, brackets, or braces in		Desired Student Performance		
numerical expressions, and evaluate expressions with these symbols.	 A student should know The mathematics symbols for operations of addition, subtraction, multiplication, and division. There are numerous ways to write the different operations and some situations require different mathematical symbols. Parentheses are often used when working with multiplication and can be used to illustrate the Associative Property of Multiplication and the 	 A student should understand Mathematic symbols help keep numeric expressions organized. Parentheses group a set of numbers and operation symbols together and can also represent the operation of multiplication. How to attend to precision. 	 A student should be able to do Evaluate expressions by solving within parentheses first, within brackets second, and finally within the braces. Recognize that not all problems will contain all the mathematical symbols, but when they are present, an order of operations must be followed to complete the problem. Use mathematical symbols appropriately to organize numerical expressions. 	

Page 1 of 65



	nencal
Multiplication. expressions	and evaluate
The difference between an them.	
expression and an equation. • Evaluate, cr	eate, and write
numerical ex	kpressions.

September 2016 Page 2 of 65



GRADE 5				
	Operations and Algebraic Thinking (OA)			
Write and interpret numerical expressions				
5.OA.2 Write simple expressions that record		Desired Student Performance		
calculations with numbers, and interpret numerical expressions without evaluating them. For example, express the calculation "add 8 and 7, then multiply by 2" as 2 × (8 + 7). Recognize that 3 × (18932 + 921) is three times as large as 18932 + 921, without having to calculate the indicated sum or product.	 A student should know Parentheses are used to group expressions together. It is possible to multiply any given expression by another quantity. How the Distributive Property of Multiplication can be written as an expression. 	 A student should understand Word problems are real-world situations and can be represented using numerical expressions. The expression 14 x 3 is the same as (14)3, (10 + 4) x 3, or (10 + 4) + (10 + 4) + (10 + 4). (There are many other ways to write the expression as well.) Decontextualizing a problem and organizing the information into a numeric expression is a necessary part of mathematics. How to attend to precision. 	 A student should be able to do Represent a word problem or real-world situation as a numeric expression. Write a problem in various equivalent expressions. Use parentheses and other mathematical symbols appropriately. Use these mathematical symbols appropriately to organize numerical expressions. Interpret numerical expressions. Evaluate, create, and write numerical expressions. 	

Page 3 of 65



GRADE 5			
	Operations and A	Igebraic Thinking (O/	4)
Analyze patterns and relationships			
5.OA.3 Generate two numerical patterns using two		Desired Student Performance	
given rules. Identify apparent relationships between corresponding terms. Form ordered pairs consisting of corresponding terms from the two patterns, and graph the ordered pairs on a coordinate plane. For example, given the rule "Add 3" and the starting number 0, and given the rule "Add 6" and the starting number 0, generate terms in the resulting sequences, and observe that the terms in one sequence are twice the	 A student should know How to generate a number pattern that follows a given rule. For example: given the rule "Add 3" and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. 	 A student should understand What an ordered pair is and the relationship between the coordinates and the coordinate plane. Patterns and finding relationships between numbers. How to look for and express regularity in repeated reasoning. How to look for and make use of structure. 	 A student should be able to do Create real-world and mathematical problems that require graphing points in Quadrant I of a coordinate plane. Interpret coordinate values of points in the context of the situation. Calculate terms of an ordered pair given a rule that must be followed. Explain the relationship between two sets of patterns, i.e., <i>Given the rule "Add 2" and a starting number 0, and given</i>

Page 4 of 65



College- and Career-Readiness Standards for Mathematics

corresponding terms in		the rule "Add 6" and a starting
the other sequence.		number 0, explain why the
Explain informally why		terms in the second sequence
this is so.		are three times greater than
		the numbers in the first
		sequence.

September 2016

Page 5 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Understand the Place Value System			
5.NBT.1 Recognize that in a multi-digit number, a		Desired Student Performance	
digit in one place represents 10 times as much as it represents in the place to its right and 1/10 of what it represents in the place to its left (e.g., <i>"In the</i> <i>number</i> 3. <u>3</u> , <i>the</i> <i>underlined digit</i> <i>represents</i> 3/10, <i>which</i> <i>is</i> 10 times the amount <i>represented by the digit</i> to its right (3/100) and is 1/10 the amount <i>represented by the digit</i> to its left (3)).	 A student should know The names of the place value columns for whole numbers. Ten ones compose a ten, ten different tens compose a hundred, and ten different hundreds compose a thousand. The value of a digit located in the tenths or hundredths place. The Base Ten System has place value because it is a positional notation system. The numerals 0, 1, 2, 3, 4, 5, 6, 7, 8, and 9 can represent 	 A student should understand A nine in the tens position has a different value than a nine in the hundred's position. Columns located to the left of a given column have a greater value than columns located to the right of that column. Multiples of 10. A fraction bar represents division. How to find the decimal equivalents for fractions of 1/10, 1/100, 1/1000, etc. Multiplying by the fraction 1/10 is the same as dividing by 10, 	 A student should be able to do For a multi-digit number, tell what value each digit holds. For example, in 245, the 2 is in the hundreds place and has a value of 200. Explain the patterns of the Base Ten System (each position is 10 times the position to its right and 1/10 of the position to its left). Write an expression for a multi-digit number to show the quantity of each digit. For example: 345.67 is equivalent

Page 6 of 65



different values depending	multiplying by 1/100 is the	to (3 x 100) + (4 x 10) + (5 x 1)
upon their position within a	same as dividing by 100, etc.	+ (6 x 1/10) + (7 x 1/100).
group of numerals. This is an		• Explain why dividing by 10 is
efficient way to represent		equivalent to multiplying by
many quantities with few		1/10.
numeric symbols.		

Page 7 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Understand the Place Value System			
5.NBT.2 Explain patterns in the number of zeros of the		Desired Student Performance	
product when multiplying a number by powers of 10, and explain patterns in the placement of the decimal point when a decimal is multiplied or divided by a power of 10. Use whole-number exponents to denote powers of 10.	 A student should know A conceptual understanding of the multiplication of whole numbers. A conceptual understanding of the Distributive Property of Multiplication. Division is the inverse of multiplication. Place value has many patterns. In place value, each column has a value 10 times that of the column to the right of it. Each column has a value 	 A student should understand Exponents are related to the operation of multiplication. The base is the number that is being multiplied, while the exponent is the number of times the base is multiplied. Exponents can also be referred to as powers. Patterns are a way of making meaning without actually evaluating. For example: 10² = 10 x 10 = 100 10³ = 10 x 10 x 10 = 1,000 10⁴ = 10 x 10 x 10 x 10 = 1,000 	 A student should be able to do Explain how the patterns of the powers of ten relate to numbers being multiplied by them. Explain 10² is the same as multiplying by 10 x 10, and the product of this is 100. Explain why the problem 6.2 x 10² is the same as 6.2 x 100. Use patterns and reasoning to place a decimal in a product or quotient. For example: The product of 3.1 x 10² must be close to 300 because 3.1 is
	September 2016	Page 8 of 65	



 1/10 of the column to the left of it. How to multiply multi-digit numbers by a single digit number as well as multi-digit numbers by a two-digit 	close to 3 and 3 x 100 = 300, therefore the logical placement of the decimal is between the ones place and the tenths place.

Page 9 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Understand the Place Value System			
5.NBT.3a Read, write, and compare decimals to		Desired Student Performance	
thousandths. Read and write decimals to thousandths using base-ten numerals, number names, and expanded form, e.g., $347.392 = 3 \times 100 + 4 \times 10 + 7 \times 1 + 3 \times (1/10) + 9 \times (1/100) + 2 \times (1/1000).$	 A student should know How to read and write whole numbers using base-ten numerals, number names, and expanded form. The relationship between fractions and their base ten decimal equivalents. Equivalent decimal values. <i>For example: 0.6 is equivalent</i> to 0.60. How to compare decimals to the hundredths. How to represent tenths and hundredths using modeling. 	 A student should understand The patterns in the place value system can be extended beyond hundredths. Thousandths are 1/10 the value of a hundredth, 1/100 the value of a tenth, and 1/1000 the value of one whole. There are multiple ways to represent any given amount. There is no comma to separate hundredths and thousandths. 	 A student should be able to do Read and write decimals to thousandths using base-ten numerals, number names, and expanded form. Convert numbers to word form and expanded form. Compare the decimal amount in the various forms and with varying decimal place values.

Page 10 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Understand the Place Value System			
5.NBT.3b Read, write, and compare decimals to		Desired Student Performance	
thousandths. Compare two decimals to thousandths based on meanings of the digits in each place, using >, =, and < symbols to record the results of comparisons.	 A student should know How to read and write whole numbers using base-ten numerals, number names, and expanded form. How to compare whole numbers based on the meanings of the digits in each place. The relationship between fractions and their base ten decimal equivalents. Equivalent decimal values. For example: 0.6 is equivalent to 0.60 	 A student should understand The patterns in the place value system can be extended beyond hundredths. Thousandths are 1/10 the value of a hundredth, 1/100 the value of a tenth, and 1/1000 the value of one whole. There are multiple ways to represent any given amount. There is no comma to separate hundredths and thousandths. The number of digits in a base-ten decimal number does not determine its value. 	 A student should be able to do Compare decimals to the thousandths place by using the symbols >, =, and <. Use visual models to show the value of each digit in a baseten decimal number. Explain decimal equivalence by using visual models and/or fractional equivalence. Place decimals on a number line to demonstrate an understanding of value. Use number lines that show tenths, hundredths, and thousandths.

Page 11 of 65



How to compare decimals to	For example: 0.7 > 0.299	• Explain that tenths are placed
the hundredths place.	because 0.7 is closer to one	on a number line between
 How to represent tenths and 	whole than 0.299.	whole numbers, hundredths
hundredths using modeling.		are placed between tenths,
• The meanings of the symbols		and thousandths are placed
>, =, and <.		between hundredths.

Page 12 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Understand the Place Value System			
5.NBT.4 Use place value understanding to round		Desired Student Performance	
decimals to any place.	 A student should know How to use a number line to round whole numbers. Decimal numbers can be placed on a number line. How to round whole numbers. <i>For example: If rounding 48 to the nearest tens place, it rounds to 50.</i> 	 A student should understand Tenths are placed on a number line between whole numbers, hundredths are placed between tenths, and thousandths are placed between hundredths. Rounding decimal values is very similar to rounding whole-number values. 	 A student should be able to do Place decimals on a number line. Use the number line to determine what benchmark number the original number is closest to on the line. Given a base-ten decimal number, students should be able to explain what benchmark two numbers the given decimal is located between. Round a decimal number to
			any given place using place value understanding.

Page 13 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Perform operations with multi-digit whole numbers and decimals to the hundredths			
5.NBT.5 <u>Fluently</u> multiply multi- digit whole numbers		Desired Student Performance	
using the standard algorithm.	 A student should know How to fluently recall basic multiplication facts. Multiplication using strategies based on place value. These strategies could include partial products algorithms, distributive property, rectangular arrays, and area models. 	 A student should understand The standard algorithm of multiplication is a "short cut" for other visual and written models. The standard algorithm applies the same concepts of the Distributive Property of Multiplication. Every digit of the multiplicand must be multiplied by every digit in the multiplier. The partial products in the standard algorithm are the 	 A student should be able to do Explain each of the steps in the standard multiplication algorithm and how place value plays an important role in each step. Explain how the partial products in the standard algorithm relate to the place value of the digits being multiplied. Complete all of steps in the standard algorithm with the

Page 14 of 65



	results of multiplying by each	corresponding place values
	digit in the multiplier. A two-	lined up appropriately.
	digit multiplier results in two	Adhere to precision and
	partial products. A three-digit	determine the reasonableness
	multiplier results in three	of the final product based on
	partial products, and so on.	the numbers multiplied.
		Complete the standard
		algorithm fluently to multiply
		multi-digit numbers.
		Ũ

Page 15 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Perform operations with multi-digit whole numbers and decimals to the hundredths			
5.NBT.6 Find whole-number quotients of whole		Desired Student Performance	
numbers with up to four-digit dividends and two-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.	 A student should know A conceptual knowledge of division and division models. How to find whole-number quotients and remainders of up to four-digit dividends and one-digit divisors. Division is the inverse of multiplication. How to use visual models to divide whole numbers. How to make sense of problems and persevere in solving them. 	 A student should understand Dividing with two-digit divisors is conceptually the same as dividing with a single-digit divisor. One visual model may be more appropriate than another depending on the problem context. The relationship between multiplication and division. 	 A student should be able to do Divide a whole number dividend with up to four digits by a two-digit divisor using any appropriate strategy. Use multiple strategies for multi-digit division. Area models illustrate a connection to multiplication, partial quotients make a connection to place value, and concrete models (base- ten blocks) demonstrate the decomposition needed in the standard algorithm.

Page 16 of 65



	 Illustrate and explain the solution strategy using equations, rectangular arrays, and/or area models. Reason with the value of the dividend and the value of the divisor to determine if a quotient is reasonable.

Page 17 of 65



GRADE 5			
	Number and Opera	tions in Base Ten (NI	BT)
Perform operations with multi-digit whole numbers and decimals to the hundredths			
<u>5.NBT.7</u> Add, subtract, multiply, and divide decimals to		Desired Student Performance	
hundredths, using concrete models (to include, but not limited to: base ten blocks, decimal tiles, etc.) or drawings and strategies based on place value, properties of operations, and/or the relationship between addition and subtraction; relate the strategy to a written method and explain the reasoning used.	 A student should know How to add, subtract, multiply, and divide whole numbers using strategies based on place value and the properties of operations. Addition and subtraction are inverse operations. Multiplication and division are inverse operations. Place value is extremely important when performing operations. 	 A student should understand The concept of adding and subtracting decimals is conceptually the same as it is for whole numbers. Number lines, concrete models, and algorithms can all be used to solve addition, subtraction, multiplication, and division problems with decimal numbers as well as with whole numbers. The relationship between performing operations with fractions and with decimal numbers. 	 A student should be able to do Use number lines, concrete models (base-ten blocks or decimal grids) or visual models to illustrate addition, subtraction, multiplication, or division of decimal numbers. Apply knowledge of fraction multiplication and division to perform decimal operations. Use reasoning to place the decimal in a sum, difference, product, or quotient. Explain how the placement of the decimal in an answer is

Page 18 of 65



	related to the value of the
	numbers calculated.
	Determine which method or
	strategy is appropriate for the
	given problem.

Page 19 of 65



GRADE 5			
Number and Operations – Fractions (NF)			
Use equivalent fractions as a strategy to add and subtract fractions			
5.NF.1 Add and subtract fractions with unlike	D	esired Student Performance	
denominators (including	A student should know	A student should understand	A student should be able to do
mixed numbers) by replacing given fractions with equivalent fractions in such a way as to produce an equivalent sum or difference of fractions with like denominators. For example, $2/3 + 5/4 = 8/12$ + $15/12 = 23/12$. (In general, $a/b + c/d = (ad + bc)/bd$.)	 Adding fractions is joining separate parts referring to the same whole. How to create an equivalent fraction for a given fraction using visual fraction models. How to find common denominators and create equivalent fractions to compare fractions. A unit fraction has a numerator of 1 and can be combined with other unit fractions with the same denominator. 	 Equivalent fractions represent the same part of a whole. They make it easier to perform operations with fractions. Multiples and factors are important and help in finding equivalent fractions. Fractions can be estimated to the nearest benchmark 0, 1/2, or 1 whole. Mixed numbers can also be estimated to benchmarks. Fractions with different size denominators can be 	 Find a common denominator and create equivalent fractions for given fractions or mixed numbers. Place a fraction or mixed number on a number line and then increase or decrease it in value (move on the number line) from this position to perform an operation (adding or subtracting). Use bar models or visual models to represent the adding or subtracting of

Page 20 of 65



 How to add or subtract mixed numbers with like denominators. Solve word problems involving addition and subtraction of fractions with like denominators by using visual fraction models, equations, and a number line. 	 placed on the same number line. Improper fractions are fractions that represent an amount greater than one whole. 	fractions or mixed numbers with unlike denominators.
---	--	---

Page 21 of 65



GRADE 5			
Number and Operations – Fractions (NF)			
Use equivalent fractions as a strategy to add and subtract fractions			
5.NF.2 Solve word problems involving addition and		Desired Student Performance	
subtraction of fractions referring to the same whole, including cases of unlike denominators, e.g., by using visual fraction models or equations to represent the problem. Use benchmark fractions and number sense of fractions to estimate mentally and assess the reasonableness of answers. For example, recognize an incorrect result 2/5 + 1/2 = 3/7, by observing that 3/7 < 1/2.	 A student should know Adding fractions is joining separate parts referring to the same whole. How to use bar models, visual models, a number line, and equations to solve addition and subtraction problems involving fractions with like denominators and fractions with unlike denominators. How to compare fractions with like and unlike denominators. 	 A student should understand Equivalent fractions represent the same part of a whole. They make it easier to perform operations with fractions. Multiples and factors are important and help in finding equivalent fractions. Fractions can be estimated to the nearest benchmark 0, ½, or 1 whole. Mixed numbers also can be estimated to benchmarks. Fractions with different size denominators can be placed on the same number line. 	 A student should be able to do Create equivalent fractions for given fractions or mixed numbers. Find a common denominator for given fractions or mixed numbers. Solve word problems involving addition and subtraction of fractions with like or unlike denominators. Use bar models, equations, or a number line to represent adding or subtracting of fractions with unlike denominators.

Page 22 of 65



How to estimate a fraction to	Improper fractions are fractions	Relate fractions to
the nearest benchmark 0, 1/2,	that represent an amount	benchmark fractions (0, 1/2, 1)
and 1.	greater than one whole.	to determine if a solution is
		reasonable.

Page 23 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.3 Interpret a fraction as division of the numerator	Desired Student Performance		
by the denominator $(a/b = a \div b)$. Solve word problems involving division of whole numbers leading to answers in the form of	 A student should know How to divide whole numbers and what it means to divide using the partitioning and 	 A student should understand Quotients can be represented with fractions. It is possible to share an 	 A student should be able to do Contextualize and decontextualize word problems involving division.
fractions or mixed numbers, e.g., by using visual fraction models or equations to represent the problem. For example, interpret 3/4 as the result of dividing 3 by 4, noting that 3/4 multiplied by 4 equals 3, and that when 3 wholes are shared equally among 4 people each person has a share of size 3/4. If 9 people want to share a 50-pound sack	 repeated subtraction models. Division is the inverse of multiplication. How to use visual models to divide whole numbers with and without remainders. Equivalencies such as 2 tens = 20 ones, 1 = 3/3, 2 = 8/4, 1 = 10/10, etc. How to make sense of problems and persevere in solving them. 	 amount such as 3 with a greater number like 4. The process will require that the 3 be decomposed into smaller parts. Contexts in word problems help to determine what operation to perform and what strategies might be useful. Remainders can be interpreted in multiple ways and may be 	 Produce visual models (bar/ circle) to justify a division such as 7/8 (i.e., draw 7 wholes and 8 groups. Partition each whole into 8 pieces and then share the parts with the 8 groups). Each group will have seven pieces, and each piece will have a size of 1/8, thus each group will receive 7/8.

September 2016

Page 24 of 65



of rice equally by weight, how many pounds of rice should each person get? Between what two whole numbers does your answer lie?		written as a fraction or a mixed number.	 Write an equation to represent the division shown in a visual model. Estimate the size of the quotient (part) before dividing. <i>i.e., ¾ is less than 1 whole.</i>
--	--	--	--

Page 25 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.4a Apply and extend previous	Desired Student Performance				
previous understandings of multiplication to multiply a fraction or whole number by a fraction. Interpret the product $(a/b) \times q$ as a parts of a partition of q into b equal parts; equivalently, as the result of a sequence of operations $a \times q \div b$. For example, use a visual fraction model to show $(2/3) \times 4 = 8/3$, and create a story context for this equation. Do the same with $(2/3) \times (4/5) =$ $8/15.$ (In general, $(a/b) \times$ (c/d) = ac/bd.)	 A student should know A strong conceptual understanding of multiplication as an operation. Multiplication can be viewed as repeated addition, equal- sized groups, or using an area model. Multiplication by a number greater than 1 yields a product greater than the factors. Multiplication by 1 yields a product that is equal to one of the factors. 	 A student should understand There are many different multiplication models that can be used. The model used depends on the context of the problem. Multiplying by a number that is less than one whole will yield a product that is less than one of the factors. 	 A student should be able to do Multiply a fraction or whole number by a fraction and interpret the product. Use visual fraction models and number lines to show the steps used in solving a problem involving multiplication by a fraction. Use benchmarks to estimate the product and determine if the solution is reasonable. Contextualize and decontextualize problems by creating word problems and/or equations that 		

September 2016

Page 26 of 65



Multiplication is a	represent different
commutative operation.	multiplication situations and
	models.

Page 27 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

September 2016

Page 28 of 65



products as rectangular		(similar to finding the area of a
areas.		rectangle with whole number
		side lengths).

Page 29 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.5a Interpret multiplication as scaling (resizing), by:	Desired Student Performance			
Comparing the size of a product to the size of one factor on the basis of the size of the other factor, without performing the indicated multiplication.	 A student should know The Identity Property of Multiplication means that any number multiplied by 1 equals the original number. For example: 6 x 1 = 6 or 126 x 1 = 126. How to compare fractions to benchmarks 0, ½, and 1. Multiplication is used for resizing (scaling). Multiplication can produce an answer less than one or both of the factors. 	 A student should understand Multiplying by a fraction less than 1 will yield a product less than one of the factors. When multiplying by ¹/₂, the product is half the value of that factor times 1. For example, 6 × ¹/₂ = 3. Multiplying by a fraction less than 1 will result in an answer less than 6. When multiplying two proper fractions, the product is a part of a whole. This 	 A student should be able to do Compare the size of a product of two fractions to the size of one of the factors, without performing the indicated multiplication, Make use of the structure of multiplication with whole numbers, and apply this knowledge to predict an outcome for multiplication of fractions. (For example, 4x2=8 and 4x1=4; therefore, multiplying 4 by a fraction less than 1 will produce an answer less than 4) 	

September 2016

Page 30 of 65



	yields a product that is less than both factors.	 Use benchmark fractions to determine if a solution is
		reasonable.

Page 31 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

September 2016

Page 32 of 65



effect of multiplying a/b	The Zero Property of	A whole number can be	For example:
by 1.	Multiplication. $a \times 0 = 0$	multiplied by a fraction.	3/4 x 3 = 9/4 = 2 1/4
	 How to look for and make use 		3/4 x 2 = 6/4 = 1 1/2
	of structure.		$3/4 \times 1 = 3/4$
	 How to look for and express 		3/4 x 3/3 = 9/12 = 3/4
	regularity in repeated		3/4 x 2/3 = 6/12 = 1/2
	reasoning.		$3/4 \times 0 = 0$
			Therefore 3/4 multiplied by a
			number greater than 1 will
			result in a product greater than
			3/4. If 3/4 is multiplied by any
			number less than one but
			greater than 0 the product will
			be less than ¾.

Page 33 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.6 Solve real world problems involving	Desired Student Performance			
multiplication of fractions and mixed numbers, e.g., by using visual fraction models or equations to represent the problem.	 A student should know Multiplication can be shown using repeated addition, equal-sized groups, or using an area model. Multiplying a number by a second number greater than 1 equals a product greater than 1 equals a product greater than the original number. The Identity Property of Multiplication means that any number multiplied by 1 equals the original number. <i>i.e.</i>, 6 x 1 = 6 or b x 1 = b. How to look for and make use of structure. 	 A student should understand Mixed numbers can be written as improper fractions. The concepts learned for multiplying whole numbers and fractions can be applied when multiplying by mixed numbers. Mixed numbers represent a value greater than 1; therefore, multiplying a number by a mixed number will yield an answer that is greater than the given number. 	 A student should be able to do Solve real-world multiplication problems involving fractions and mixed numbers by creating a visual model or equation to solve. Make use of patterns to solve problems. Use prior knowledge of multiplying by fractions (proper or improper) to solve problems such as the following: 6 x 4 ½ = 4 ½ = 4 ½ = 9/2 So, 6 x 9/2 = 54/2 = 27 	

September 2016

Page 34 of 65



How to look for and express	•	Apply an understanding of the
regularity in repeated		Distributive Property of
reasoning.		Multiplication to solve
		problems:
		6 x 4 = 24
		$6 \times \frac{1}{2} = 3$
		So, (6 x 4) + (6 x ½) = 27

Page 35 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.7a Apply and extend previous	Desired Student Performance			
Apply and extend previous understandings of division to divide unit fractions by whole numbers and whole numbers by unit fractions. ¹ Interpret division of a unit fraction by a non- zero whole number, and compute such quotients. For example, create a story context for $(1/3) \div$	 A student should know How to divide whole numbers and what it means to divide using the partitioning and repeated subtraction models. Division is the inverse of multiplication. How to use visual models to divide whole numbers with and without remainders. How to contextualize division 	 A student should understand Creating a visual model to represent problems helps give meaning to the problem and what is happening in the problem. The division model used to solve a problem depends on the context of the problem. The role of the dividend, divisor, and quotient. 	 A student should be able to do Create visual models and divide unit fractions by whole numbers. Reason through a division problem (<i>i.e.</i>, For ¼ ÷ 3, ask, "Can ¼ be shared with three groups?" Explain that if ¼ is shared with three groups the quotient will be smaller in size than ¼). 	
fraction model to show the quotient. Use the relationship between multiplication and division to explain that	problems using whole numbers.Division is not a commutative operation.	 A fraction can be divided by a whole number and the result will be less than the original fraction because it was partitioned into pieces. 	 Interpret division of a unit fraction by a non-zero whole number and compute quotients. Create a word problem to represent division 	

September 2016

Page 36 of 65



(1/3) ÷ 4 = 1/12 because (1/12) × 4 = 1/3.	 Unit fractions have a numerator of one and can be combined to create non-unit fractions. 	of a unit fraction by a non-zero whole number.

Page 37 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.7b Apply and extend previous		Desired Student Performance	
understandings of division to divide unit fractions by whole	A student should knowHow to divide whole numbers	A student should understandCreating a visual model to	A student should be able to doCreate visual models to divide
numbers by unit fractions. ¹ Interpret division of a	and what it means to divide using the partitioning and repeated subtraction models.	represent problems helps to give meaning to the problem and what is happening in the	a whole number by a unit fraction. Make meaning of a problem, such as $6 \div \frac{1}{2}$ by
whole number by a unit fraction, and compute such quotients. <i>For</i>	 Division is the inverse of multiplication. How to use visual models to 	 problem. The division model used to solve a problem depends on 	asking, "How many ½ are in 6?" (The quotient will be greater than 6 because each
example, create a story context for 4 ÷ (1/5), and use a visual fraction model to show the	divide whole numbers with and without remainders.Unit fractions have a	 the context of the problem. The role of the dividend, divisor, and quotient. 	whole is composed of two halves.)Create word problems to
quotient. Use the relationship between multiplication and	numerator of one.Division is not a commutative operation.	 A whole number can be divided by a fraction and the result will be greater than the 	 Praw visual fraction models (bar/circles) using the
division to explain that 4 \div (1/5) = 20 because 20 × (1/5) = 4.		original whole number.	appropriate number of wholes to find out how many of the

September 2016

Page 38 of 65



	given unit fraction are found in the wholes.

Page 39 of 65



GRADE 5 Number and Operations – Fractions (NF)

Apply and extend previous understandings of multiplication and division to multiply and divide fractions

5.NF.7c Apply and extend previous understandings	Desired Student Performance		
fractions by whole	A student should know	A student should understand	A student should be able to do
numbers and whole numbers by unit fractions. ¹ Solve real world problems involving division of unit fractions by non-zero whole numbers and division of whole numbers by unit fractions, e.g., by using visual fraction models and equations to represent the problem. For example, how much chocolate will each	 How to divide whole numbers and what it means to divide using the partitioning and repeated subtraction models. Division is the inverse of multiplication. How to use visual models to divide whole numbers with and without remainders. How to contextualize division problems using whole numbers. Division is not a commutative 	 Creating a visual model to represent problems helps give meaning to the problem and what is happening in the problem. The division model used to solve a problem depends on the context of the problem. The role of the dividend, divisor, and quotient. Various models can be used to illustrate given problems. 	 Solve real-world word problems involving division of unit fractions by non-zero whole numbers. Solve real-world problems involving division of whole numbers by unit fractions. Use visual fraction models and equations to represent word problems and solve them. Use prior knowledge of patterns in dividing fractions and whole numbers to reason
share 1/2 lb of chocolate equally? How many 1/3-	operation.		through problems.

September 2016

Page 40 of 65



cup servings are in 2	 Unit fractions have a 	Use benchmark fractions to
cups of raisins?	numerator of one.	estimate quotients and
	 How to make sense of 	determine the reasonableness
	problems and persevere in	of solutions.
	solving them.	

Page 41 of 65



GRADE 5			
	Measureme	nt and Data (MD)	
Convert like measurement units within a given measurement system			
5.MD.1 Convert among different-sized standard		Desired Student Performance	
measurement units within a given measurement system (e.g., convert 5 cm to 0.05 m), and use these conversions in solving multi-step, real world problems.	 A student should know There are two systems of measurement (metric and customary). Relative sizes of the different units in each of the two different systems. There are multiple ways to represent measurements and equivalent measurements can be expressed by using different units. There are different units for different types of measuring. <i>For example: There are different units for mass,</i> 	 A student should understand Units of measurement can be expressed in terms of a larger unit or a smaller unit. (For example: 6 in. = 0.5 ft.) Conversions of measurement units are sometimes necessary when applying measurement to the real world. The metric system is a baseten system, and the customary system works in various bases. 	 A student should be able to do Solve multiple-step, real- world problems using various units of measurement (within the same system). Explain equivalents within a given measurement system. Use knowledge of whole numbers, fractions, and decimals to compare/convert units of measurement within a system. Use visual models for conversions and solve measurement problems.

Page 42 of 65



height, capacity, length and	 Basic concepts of whole 	 Apply knowledge of base-ten
so on.	numbers, fractions, and	place value to conceptually
	decimals.	understand the conversion of
		metric units.
		Use measurement tools
		appropriately.

Page 43 of 65



GRADE 5			
	Measureme	nt and Data (MD)	
Represent and interpret data			
5.MD.2 Make a line plot to display a data set of		Desired Student Performance	
measurements in fractions of a unit (1/2, 1/4, 1/8). Use operations on fractions for this grade to solve problems involving information presented in line plots. For example, given different measurements of liquid in identical beakers, find the amount of liquid each beaker would contain if the total amount in all the beakers were redistributed equally	 A student should know How to partition a line into halves, fourths, and eighths. How to use a line or line segment to make a line plot. How to interpret and solve problems with a line plot using whole numbers and the unit fractions of 1/2, 1/4, and 1/8. How to make sense of problems and persevere in solving them. How to add and subtract unit fractions. 	 A student should understand A line plot is used to organize data. Every piece of data in a data set is displayed on the line plot with a symbol. Intervals on the line plot that do not have a symbol do not contain data. Real-world problems can be represented using a line plot. 	 A student should be able to do Collect real-world data using fractions 1/2, 1/4, and 1/8, and create a line plot to display the results visually. Use the results of the line plot to make observations and/or inferences about the data. Answer questions using a line plot that has already been created. Use fraction operations of addition, subtraction, multiplication, and division to solve real-world problems

Page 44 of 65



How to multiply unit fractions by whole numbers	 Find the mean (average) of a set of data by leveling off the
by whole numbers.	line plot and redistributing the
	data equally.

Page 45 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.3a Recognize volume as an attribute of solid figures	Desired Student Performance		
and understand concepts of volume measurement. A cube with side length 1 unit, called a "unit cube," is said to have "one cubic unit" of volume, and can be used to measure volume.	 A student should know The names and attributes of two-dimensional shapes, in particular, squares and rectangles. The names and attributes of three-dimensional shapes, in particular, rectangular prisms and cubes. Two dimensional figures can be measured using area. How to find the area of a figure using square units or the standard algorithm. 	 A student should understand Volume is the space that can be filled in a three-dimensional figure similar to the way that area is the space that can be filled in a two-dimensional figure. A cubic unit is similar to a square unit. The difference is that it has a third dimension, height. Exponents can be used to describe square units and cubic units. Volume can be "packed" or "filled." These two different 	 A student should be able to do Explain the concept of volume. Provide examples in the real world that represent a measure of volume. Describe the difference between square units and cubic units. Make connections between exponents and the relationship they have with square units and cubic units. Explain how the unit cube is used to find the volume of an object.

September 2016

Page 46 of 65



How the formula for the area	ideas both represent volume.	Use differing units such as
of rectangles and squares is	For example: packing with unit	inches, centimeters, feet, etc.,
derived.	cubes versus filling with	to construct a unit cube.
	liquid/gas.	 Select the appropriate unit
		cube to use to measure a
		three-dimensional space.

Page 47 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.3b Recognize volume as an attribute of solid figures	Desired Student Performance		
and understand concepts of volume measurement. A solid figure which can be packed without gaps or overlaps using <i>n</i> unit cubes is said to have a volume of <i>n</i> cubic units.	 A student should know The names and attributes of two-dimensional shapes especially squares and rectangles. The names and attributes of three-dimensional shapes especially rectangular prisms and cubes. Two-dimensional figures can be measured using area. How to find the area of a figure using square units or the standard algorithm. 	 A student should understand Volume is the space in a three-dimensional figure. What it means to find the area of a two-dimensional figure. A cubic unit is similar to a square unit. The difference is that it has a third dimension, height. Exponents are used to describe square units and cubic units. Volume can be "packed" or "filled." These two different ideas both represent volume. 	 A student should be able to do Explain that when finding volume, unit cubes must be packed without gaps or overlays inside a three-dimensional space. The total number of unit cubes (n) packed into a three-dimensional figure equals the volume of the figure. Look at examples of different sized prisms packed with unit cubes, some packed with no gaps or overlays and others packed in an unorganized manner, and explain which

September 2016

Page 48 of 65



How the formula for the area	Packing with unit cubes versus	examples accurately represent
of rectangles and squares is	filling with liquid/gas.	the volume of the prism.
derived.		

Page 49 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.4 Measure volumes by counting unit cubes,	Desired Student Performance		
counting unit cubes, using cubic cm, cubic in, cubic ft, and improvised units.	 A student should know The names and attributes of two-dimensional shapes, especially squares and rectangles. The names and attributes of three-dimensional shapes, especially rectangular prisms and cubes. Two-dimensional figures can be measured using area. 	 A student should understand Volume is the space in a three-dimensional figure. Finding the area for a two-dimensional figure is similar to finding the volume of a three-dimensional figure. A cubic unit is similar to a square unit. The difference is that it has a third dimension, height 	 A student should be able to do Determine the volume of a rectangular prism using a concrete or pictorial example, by counting unit cubes. The unit cubes may be cubic centimeters, cubic inches, cubic feet, or other improvised units. (These examples should already have visible unit cubes associated with them. For
	 How to find the area of a figure using square units or the standard algorithm. 	 Exponents are used to describe square units and cubic units. A cubic unit has a length, width, and height of 1 unit. 	example: a cube or rectangular prism built from snap cubes or inch cubes or a drawing or picture of a

September 2016

Page 50 of 65



How the formulas for the area	 Volume can be "packed" or 	cube/rectangular prism with
of rectangles and squares are	"filled." These two different	individual unit cubes visible.)
derived.	ideas both represent volume.	
	Packing with unit cubes versus	
	filling with liquid/gas.	

Page 51 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.5a Relate volume to the operations of	Desired Student Performance		
operations of multiplication and addition and solve real world and mathematical problems involving volume. Find the volume of a right rectangular prism with whole-number side lengths by packing it with unit cubes, and show that the volume is the same as would be found by multiplying the edge lengths, equivalently by multiplying the beight by	 A student should know Volume is the space in a three-dimensional figure. Volume can be "packed" or "filled." These two different ideas can be problematic for students. Packing with unit cubes versus filling with liquid/gas. A cubic unit is similar to a square unit. The difference is that it has a third dimension, 	 A student should understand Unit cubes must be packed into a prism or cube with no gaps or overlays to accurately measure volume. Volume can be measured with cubic units that are improvised or standardized. The improvised unit will be referred to solely as a cubic unit and has a length, width, and height of 1 unit. 	 A student should be able to do Pack real-world prisms/cubes with unit cubes such as inch cubes, centimeter cubes, and improvised cubes. State the volume of a given prism/cube based on how many unit cubes it holds. Calculate the volume of real-world rectangular prisms by counting the unit cubes used for the length, width, and
the area of the base. Represent threefold whole-number products as volumes, e.g., to	 height. Exponents are used to describe square units and cubic units. 	 A unit cube with 1in. side lengths is referred to as a cubic inch, a unit cube with 1 cm. side lengths is referred to 	height and multiplying them to get the total number of unit cubes in the volume.

September 2016

Page 52 of 65



represent the associative	as a cubic centimeter, and a	Use addition to determine the
property of	unit cube with 1 ft. side lengths	number of unit cubes or
multiplication.	is referred to as a cubic foot.	volume in a three-dimensional
	It is possible to calculate the	shape.
	volume of prisms and cubes	 Solve real-world problems
	that have no unit cubes visible.	using the concepts related to
		volume.

Page 53 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.5b Relate volume to the operations of	Desired Student Performance		
operations of multiplication and addition and solve real world and mathematical problems involving volume. Apply the formulas $V = I \times w \times h$ and $V = b \times h$ for rectangular prisms to find volumes of right rectangular prisms with whole-number edge lengths in the context of solving real world and mathematical problems.	 A student should know Volume space inside a three- dimensional figure. Volume can be "packed" or "filled." These two different ideas can be problematic for students. Packing with unit cubes versus filling with liquid/gas. A cubic unit is similar to a square unit. The difference is that it has a third dimension, height. Exponents are used to describe cubic units. 	 A student should understand Unit cubes must be packed into a prism or cube with no gaps or overlays to accurately measure volume. It is possible to calculate the volume of rectangular prisms/cubes without counting every unit cube. Volume of rectangular prisms can be found by multiplying the total number of unit cubes needed to form the length of the prism by the total number of unit cubes needed to form 	 A student should be able to do Discover the formulas for volume (I x w x h and b x h) based on their knowledge of packing unit cubes into three-dimensional figures and counting the cubes. Explain the different formulas V=I x w x h and V = b x h (<i>I</i> represents length, <i>w</i> represents width, <i>h</i> represents the area of the base). Find the volume for real- world problems using rectangular
	describe cubic units.	of unit cubes needed to form the width of the prism by the	problems using rectangular

September 2016

Page 54 of 65



	number of unit cubes needed	prisms with whole number side
	for the height of the prism.	lengths.
	• The total number of unit cubes	
	in each layer is equivalent to	
	the area of the base.	

Page 55 of 65



GRADE 5 Measurement and Data (MD)

Geometric measurement: understand concepts of volume and relate volume to multiplication and to addition

5.MD.5c Relate volume to the operations of		Desired Student Performance	
operations of multiplication and addition and solve real world and mathematical problems involving volume. Recognize volume as additive. Find volumes of solid figures composed of two non- overlapping right rectangular prisms by adding the volumes of the non-overlapping parts, applying this technique to solve real world problems.	 A student should know Volume is the space that can be filled in a three- dimensional figure. Volume can be "packed" or "filled." These two different ideas can be problematic for students. Packing with unit cubes vs. filling with liquid/gas. A cubic unit is similar to a square unit. The difference is that it has a third dimension, 	 A student should understand Unit cubes must be packed into a prism or cube with no gaps or overlays to accurately measure volume. It is possible to calculate the volume of rectangular prisms/cubes without counting every unit cube by applying the formulas V= I x w x h or V = b x h. The total number of unit cubes in each layer of a rectangular 	 A student should be able to do Find the volume of different rectangular prism/cubes by counting unit cubes and applying the formulas for volume. Combine two different rectangular prisms/cubes and determine the total volume of the combined prisms. Explain that if two prisms are combined, the total volume of one prism is added to the
	 height. Exponents are used to describe cubic units. 	prism is equivalent to the area of the base.	 volume of the second prism. Find the volume of combined rectangular prisms by

September 2016

Page 56 of 65



	decomposing them into
	separate figures, finding the
	volume of each, and then
	composing the figures back
	together.

Page 57 of 65



GRADE 5			
	Geo	metry (G)	
Graph points on the coordinate plane to solve real-world and mathematical problems			
5.G.1 Use a pair of perpendicular number		Desired Student Performance	
lines, called axes, to define a coordinate system, with the intersection of the lines (the origin) arranged to coincide with the 0 on each line and a given point in the plane located by using an ordered pair of numbers, called its coordinates. Understand that the first number indicates how far to travel from the origin in the direction of one axis, and the second number indicates how far to travel in the direction of	 A student should know How to use a number line. Basic geometric concepts of points, lines, line segments, rays, perpendicular lines, and parallel lines. Two lines that cross at a 90-degree angle are perpendicular lines. The meaning of the words vertical and horizontal. 	 A student should understand When two lines cross they form an intersection. When perpendicular lines exist, a plane has been partitioned by those lines into fourths. The fourths are also referred to as quarters. In the case of coordinate planes, each quarter is referred to as a quadrant. Each line forming the perpendicular line set is labeled for identification. The horizontal line is known as the 	 A student should be able to do Identify the different parts of the coordinate grid. Know and understand the following: Origin x-axis y-axis Ordered Pair Quadrant I Point/Coordinate Given an ordered pair, place a point on the correct coordinate. Given a point in Quadrant I, identify the correct ordered pair.

Page 58 of 65



the second axis, with the convention that the names of the two axes and the coordinates correspond (e.g., <i>x</i> -axis and <i>x</i> -coordinate, <i>y</i> -axis and <i>y</i> -coordinate).	 x-axis and the vertical line is known as the y-axis. When two number lines form perpendicular lines, a coordinate grid is created. The point where the two lines cross is known as the origin and is a starting point. A point can be located and identified by using the x- axis and the y-axis 	 Explain how to correctly move and locate points within Quadrant I.
	anu ine y-axis.	

Page 59 of 65



GRADE 5			
	Geo	metry (G)	
Graph points on the coordinate plane to solve real-world and mathematical problems			
5.G.2 Represent real world and mathematical		Desired Student Performance	
problems by graphing points in the first quadrant of the coordinate plane, and interpret coordinate values of points in the context of the situation.	 A student should know Coordinate planes are created when two perpendicular lines cross and a mathematical grid is placed upon them. These perpendicular lines are labeled as the x-axis and the y-axis. Points within a plane can be located using an ordered pair which consists of an x-coordinate and a y-coordinate. 	 A student should understand Coordinate grids are a mathematical concept that can be applied to the real world. Coordinates are used in the real world to help with locating and direction. Lines of latitude and longitude are an example of how mathematical structure is applied to the real world. Quadrant I can also be useful when representing real-world data. This quadrant can allow us to look for trends in data or changes in data over time. 	 A student should be able to do Locate points (coordinates) and follow directions on a coordinate grid that has been contextualized using a real- world example. Use maps, pictures, or drawings with a coordinate grid imposed upon it to create real-world math problems that involve locating and graphing points within Quadrant I. Create Quadrant I using an x- axis and y-axis and graph points within Quadrant I that relate to real-world data.

Page 60 of 65



Movement begins at the	Connect the points to look for
origin, follows the x-axis first,	structure/patterns in the data.
and the y-axis second.	This leads to the creation and
	interpretation of line graphs.

Page 61 of 65



GRADE 5			
Geometry (G)			
Classify two-dimensional figures into categories based on their properties			
5.G.3 Understand that attributes belonging to a	at Desired Student Performance		
category of two- dimensional figures also belong to all subcategories of that category. For example, all rectangles have four right angles and squares are rectangles, so all squares have four right angles.	 A student should know Basic geometric concepts such as points, lines, line segments, rays, and angles. Special types of lines including parallel and perpendicular lines. Angles are obtuse, acute, or right. Polygons are closed figures with straight sides. There are many different types of polygons and each is named based its number of sides and angles. 	 A student should understand Polygons may appear different in shape and size, but they can still be classified together based on their attributes. Regular polygons contain equal length sides and are a special type of polygon. Irregular polygons do not have to have the same length sides but still contain attributes that can be classified. Polygons must be classified based on their attributes and not solely on their appearance. 	 A student should be able to do Given the attributes without a visual picture, a student should be able to classify and name the polygon. Sort polygons, especially quadrilaterals, into different subcategories by explaining the criterion by which they used to sort the polygons. Compare and contrast the different polygons. Justify, explain, and debate the categorizing of different types of polygons.

Page 62 of 65



 Polygons can be classified 	Different polygons may or may	For example: Are all
based on attributes. There	not contain some of the same	parallelograms squares?
can also be a hierarchy for	attributes thus creating	When is a rhombus a square?
certain polygons.	subcategories.	Are all squares rectangles?
 The attributes of these 		
quadrilaterals: square,		
rectangle, trapezoid, and		
rhombus. For example, a		
trapezoid is a quadrilateral		
with at least 1 pair of parallel		
sides.		

Page 63 of 65



GRADE 5			
Geometry (G)			
Classify two-dimensional figures into categories based on their properties			
5.G.4 Classify two- dimensional figures in a	Desired Student Performance		
hierarchy based on properties.	 A student should know Basic geometric concepts such as points, lines, line segments, rays, and angles. Special types of lines including parallel and perpendicular lines. Angles are obtuse, acute, or right. Polygons are closed figures with straight sides. There are many different types of polygons, and each is named based on the number of sides and angles it has. 	 A student should understand Polygons may appear different in shape and size but they can still be classified together based on their attributes. Regular polygons contain equal length sides and are a special type of polygon. Irregular polygons do not have to have the same length sides but still contain attributes that can be classified. Polygons must be classified based on their attributes and not solely on their appearance 	 A student should be able to do Given the attributes without a visual picture, a student should be able to classify, draw, and name the polygon. Explain why squares are unique among quadrilaterals. Create a hierarchy of polygons, such as quadrilaterals, sorted with those with the most attributes and narrowing down to those with the fewest attributes.

Page 64 of 65



Polygons can be classified	Different polygons may or may	
based on attributes. There	not contain some of the same	
can also be a hierarchy for	attributes thus creating	
certain polygons.	subcategories.	
 The attributes of these 		
quadrilaterals: square,		
rectangle, trapezoid, and		
rhombus. <i>For example, a</i>		
trapezoid is a quadrilateral		
with at least 1 pair of parallel		
sides.		

¹Students able to multiply fractions in general can develop strategies to divide fractions in general, by reasoning about the relationship between multiplication and division. But division of a fraction is not a requirement at this grade.

September 2016

Page 65 of 65